



UNDERWOOD



UNDERWOOD









Sizes: 4-15 [1/2 7.5-11.5]







Sizes: 4-15 [1/2 7.5-11.5]

AP9951

· Toe Type: Soft toe

· Shank: Steel shank

- · Outsole:
- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PU footbed
- · Technology:
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 EH Standards

AP9952

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PU footbed
- · Technology:
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 EH Standards

CORTEZ



CRISSON











Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

AK050

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · TPU oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- \cdot Cushioning PORON XRD $^{\rm \tiny B}$ footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

AK050BK

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · TPU oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant full-grain leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828 HEIGHT 5" LAST 828 HEIGHT 5"

GAMMON



BAKKEN











Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

AK222

· Toe Type: Steel toe

· Shank: Steel shank

- · Outsole:
- · TPU oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

AK227

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · TPU oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant full-grain leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

HEIGHT LAST 828 **HEIGHT**

LUMEN



LUMEN











Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

AK227NT

· Toe Type: Soft toe

· Shank: Steel shank

· Outsole:

- · TPU oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant full-grain leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 SD Standards

AK224

· Toe Type: Soft toe

· Shank: Nylon shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 EH Standards

FORT



KNOX











Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

AK232

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- \cdot Cushioning PORON XRD $^{\rm \tiny B}$ footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

AK245

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant full-grain leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

HEIGHT

- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828 HEIGHT 7" LAST 828

KIMBERLY



KENSINGTON











Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

AK232Z

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · TPU oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- \cdot Cushioning PORON XRD $^{\rm \tiny B}$ footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

AK245Z

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · TPU oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant full-grain leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828 HEIGHT 7" LAST 828 HEIGHT 7"

BAKKEN



BAKKEN















Sizes: 4-15 [1/2 7.5-11.5]

AK303

Sizes: 4-15 [1/2 7.5-11.5]

· Toe Type: Soft toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled full grain tumbled leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 EH Standards

AK323

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled full grain tumbled leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828 HEIGHT 6" LAST 828

HEIGHT 6

ZUMBRO



ZUMBRO













VAK370

Sizes: 4-15 【½ 7.5-11.5】

- · Toe Type: Steel toe
- · Shank: Steel shank
- · Outsole:
- · Vibram® outsole offers superior durability and traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- \cdot Cushioning PORON XRD $^{\rm \tiny B}$ footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 EH Standards











Sizes: 4-15 [1/2 7.5-11.5]

VAK371

- · Toe Type: Soft toe
- · Shank: Steel shank
- · Outsole:
- · Vibram® outsole offers superior durability and traction
- · Upper:
- · Durable, water resistant oiled full grain tumbled leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 EH Standards

ZUMBRO



ZUMBRO











Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

VAK372

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled full grain tumbled leather upper

· Lining:

· HYDROGUARD® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

 \cdot Cushioning PORON XRD $^{\rm \tiny B}$ footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2413-18 I/75 C/75 EH Standards

VAK373

Toe Type: Soft toeShank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled crazy horse leather upper

· Lining:

· HYDROGUARD® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2892-18 EH Standards

LAST 828 HEIGHT 6" LAST 828 HEIGHT 6"

GARLAND



GARLAND













Sizes: 4-15 [1/2 7.5-11.5]

AK426

Sizes: 4-15 [1/2 7.5-11.5]

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

AK428

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

HEIGHT LAST 828 LAST 828 **HEIGHT**

GARLAND



WOODLAND



















Sizes: 4-15 [1/2 7.5-11.5]

AK436

Sizes: 4-15 [½ 7.5-11.5]

· Toe Type: Soft toe

· Shank: Steel shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 EH Standards

AK609

· Toe Type: Composite toe

· Shank: Nylon shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · COOLMAX® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 SD Standards

LAST 828 HEIGHT 6" LAST 828B HEIGHT 6

WOODLAND



WOODLAND









Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

AK639

· Toe Type: Soft toe

· Shank: Nylon shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 EH Standards

AK639 Insulate

· Toe Type: Soft toe

· Shank: Nylon shank

· Outsole:

- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2892-18 EH Standards

LAST 828B HEIGHT 6" LAST 828B HEIGHT 6"

WOODLAND



WOODLAND









Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

AK669

· Toe Type: Composite toe

· Shank: Nylon shank

- · Outsole:
- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 EH Standards

AK669 Insulate

- · Toe Type: Composite toe
- · Shank: Nylon shank
- · Outsole:
- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant oiled crazy horse leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 EH Standards

LAST 828B HEIGHT 6" LAST 828B HEIGHT 6"

WOODLAND









AK869

· Toe Type: Composite toe

· Shank: Nylon shank

· Outsole:

· Rubber oil-and-slip-resistant outsole for enhanced traction

· Upper:

· Durable, water resistant oiled crazy horse leather upper

· Lining:

· HYDROGUARD® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed


· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2413-18 I/75 C/75 EH Standards





WALKER



WALKER













Sizes: 4-15 [1/2 7.5-11.5]



Toe Type: Soft toeShank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled full grain tumbled leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2892-18 EH Standards











Sizes: 4-15 [1/2 7.5-11.5]

VAP360 II

Toe Type: Soft toeShank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled full grain tumbled leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2892-18 EH Standards

GREENWOOD



EDGEWOOD













Sizes: 4-15 [1/2 7.5-11.5]











Sizes: 4-15 【½ 7.5-11.5】

VAP808

· Toe Type: Soft toe

· Shank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled full grain tumbled leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2892-18 EH Standards

VAP828

· Toe Type: Composite toe

· Shank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled full grain tumbled leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2413-18 I/75 C/75 EH PR Standards

LAST 6155 HEIGHT 6" LAST 6155 HEIGHT 6"

EDGEWOOD



EDGEWOOD













Sizes: 4-15 [1/2 7.5-11.5]









Sizes: 4-15 [1/2 7.5-11.5]

VAP838

· Toe Type: Soft toe

· Shank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled crazy horse leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

 \cdot Cushioning PORON XRD $^{\rm \tiny \it I\!R}$ footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2892-18 EH Standards

VAP858

· Toe Type: Steel toe

· Shank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled crazy horse leather upper

· Lining:

· HYDROGUARD® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2413-18 I/75 C/75 EHStandards

LAST 84992D HEIGHT 6" LAST 84992STD HEIGHT

NORWOOD



ROBERTA













Sizes: 4-15 [1/2 7.5-11.5]



· Toe Type: Soft toe

· Shank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled full grain tumbled leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

 \cdot Cushioning PORON XRD $^{\rm \tiny B}$ footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2892-18 EH Standards











Sizes: 4-15 [1/2 7.5-11.5]

VAP615

· Toe Type: Soft toe

· Shank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled full grain tumbled leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

· Cushioning PORON XRD ® footbed

· Technology:

· XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2892-18 EH Standards

LAST 611M HEIGHT 7" LAST 6155 HEIGHT 6"

NORWOOD













VAP621

Sizes: 4-15 [½ 7.5-11.5]

Toe Type: Steel toeShank: Steel shank

· Outsole:

· Vibram® outsole offers superior durability and traction

· Upper:

· Durable, water resistant oiled crazy horse leather upper

· Lining:

· COOLMAX® hygroscopic, breathable lining

· Waterproof, moisture-wicking lining

· Footbed:

 \cdot Cushioning PORON XRD $^{\rm \tiny \it I\!R}$ footbed

· Technology:

 \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact

· COMFORT MEMO® offers anti-fatigue performance

· Safety Rating:

· Meets ASTM F2413-18 I/75 C/75 EHStandards





FARLAND



FARLAND











Sizes: 8-14 [1/2 7.5-11.5]









Sizes: 8-14 [1/2 7.5-11.5]

KS252

· Shank: Nylon shank

- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

KS253

· Shank: Nylon shank

- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

FARLAND



FARLAND



















Sizes: 8-14 [1/2 7.5-11.5]

KS257

Sizes: 8-14 [½ 7.5-11.5]

- · Shank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

KS258

- · Shank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant nubuck leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

NEWLAND



NEWLAND



















Sizes: 7-15 [1/2 7.5-11.5]

KS5514

Sizes: 7-15 [1/2 7.5-11.5]

- · Shank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

KS5516

- · Shank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

NEWLAND



NEWLAND



















Sizes: 7-15 [1/2 7.5-11.5]

KS5534

Sizes: 7-15 [½ 7.5-11.5]

- · Shank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

KS5536

- · Shank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

WALLAND



WALLAND















KS535

Sizes: 7-14 【½ 7.5-11.5】

KS537

Sizes: 7-14 [½ 7.5-11.5]

- · Shank: Nylon shank
- · Outsole:
- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

- · Shank: Nylon shank
- · Outsole:
- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

WALLAND



WALLAND















KS735

Sizes: 7-14 [1/2 7.5-11.5]

4 [½ 7.5-11.5]

- · Shank: Nylon shank
- · Outsole:
- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- \cdot XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

KS737

Sizes: 7-14 [½ 7.5-11.5]

- · Shank: Nylon shank
- · Outsole:
- · Rubber oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

LAST LM12 HEIGHT 8" LAST LM12 HEIGHT 8"

MILFORD



MILFORD











Sizes: 7-13 [1/2 7.5-11.5]









Sizes: 7-13 [1/2 7.5-11.5]

VK10825

· Shank: Steel shank

- · Outsole:
- · Vibram® outsole offers superior durability and traction
- · Upper:
- · Durable, water resistant full-grain leather upper
- · Lining:
- · ROOF-TEX hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

VK10820

- · Shank: Steel shank
- · Outsole:
- · Vibram® outsole offers superior durability and traction
- · Upper:
- · Durable, water resistant full-grain leather upper
- · Lining:
- · ROOF-TEX hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance



M.G.D.B



M.G.D.B













Sizes: 7-14 [1/2 7.5-11.5]

AB5010

- Toe Type: Soft toeShank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant suede leather upper
- · Lining:
- · Hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance











Sizes: 7-14 [1/2 7.5-11.5]

- **AB5013**
- · Toe Type: Soft toe
- · Shank: Nylon shank
- · Outsole:
- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant full grain leather upper
- · Lining:
- · Hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

M.G.D.B



M.G.D.B













Sizes: 7-14 [1/2 7.5-11.5]

AB7010

· Toe Type: Soft toe

· Shank: Nylon shank

· Outsole:

· Goodyear® oil-and-slip-resistant outsole for enhanced traction

· Upper:

· Durable, water resistant suede leather upper

· Lining:

- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance











Sizes: 7-14 [1/2 7.5-11.5]

AB7013

· Toe Type: Soft toe

· Shank: Nylon shank

· Outsole:

- · Goodyear® oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, water resistant full grain leather upper
- · Lining:
- · HYDROGUARD® hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance

HEIGHT



PORTER












Sizes: 8-13

PG1106

· Toe Type: Composite toe

- · Outsole:
- · BASF Polyurethane oil-and-slip-resistant outsole for enhanced traction
- · Upper:
- · Durable, waterproof BASF Polyurethane upper
- · Lining:
- · COOLMAX® Eco Made hygroscopic, breathable lining
- · Waterproof, moisture-wicking lining
- · Footbed:
- · Cushioning PORON XRD ® footbed
- · Technology:
- · XRD® Technology is soft and contouring against the foot, has excellent compression set resistance, slow rebound and very low closure force, yet instantly dissipates force on impact
- · COMFORT MEMO® offers anti-fatigue performance
- · Safety Rating:
- · Meets ASTM F2413-18 I/75 C/75 EH PR Standards



LAST LP-2 HEIGHT 12

